

Schütte OASIS | MDF HG, Soft Close

WC sedátko standartních rozměrů. Motiv oáza 80543



EAN: 4008431805436

40,08 €

33,40 € bez DPH

Key features of the SCHÜTTE OASIS toilet seat

- MDF toilet seat OASIS in high gloss, with soft close mechanism
- Toilet seat for all standard size toilet bowls
- The double soft-close mechanism ensures that the toilet seat closes slowly and quietly
- Thanks to the extremely stable MDF material resistant to scratching, the toilet seat cover is particularly durable.
- Thanks to its high-quality glossy surface, the toilet seat is particularly easy to maintain.
- It includes complete assembly materials for quick and easy installation of the toilet seat.

MDF

MDF (medium-density fibreboard) is a composite material characterized by hardness, flexibility, and durability. No adhesives are used in the production of wood fiber MDF boards.

SOFT-CLOSE

The toilet seat is equipped with a SOFT-CLOSE system. When lowered, the seat smoothly descends without any risk of damage or unwanted noise. Ideal not only for families with children.

Simple assembly

With the help of the included mounting kit and clear instructions, you will be able to assemble it within a few minutes.

Parts of the packaging:

- Instructions


Parameters

Basic parameters


Material:	MDF
Closing:	Soft Close
Distance of mounting holes:	130 - 185 mm

Dimensions, weight and packaging

Included in the package:	mounting kit
Warranty:	2
The dimensions of the seat outer (W x D):	approx. 370 x 430 mm
Dimensions of the seat interior (w x d):	approximately 240 x 280 mm
Width of the packaging (cm):	38
Height of packaging (cm):	6
Depth of packaging (cm):	47
Weight including packaging (kg):	2.9
Product TARIC code:	39222000



SCHÜTTE
QUALITÄT UND BEQUEMHEIT SEIT 1878



MDF Highgloss WC-Sitz

pflegeleichte Oberfläche

SCHÜTTE
QUALITÄT UND BEQUEMHEIT SEIT 1878

SCHÜTTE
QUALITÄT UND BEQUEMHEIT SEIT 1878

SCHÜTTE
QUALITÄT UND BEQUEMHEIT SEIT 1878



- langlebiges Material: außen bruchstark und kratzfest
- Absenkautomatik für ein leises Schließen
- sehr hohe Belastbarkeit bis zu 175 kg geprüft
- vollständiges Befestigungsmaterial inklusive



Absenkautomatik
für geräuschloses Schließen



