

VinoTek VT4



EAN: 8596220003102

0,00 €

0,00 € bez DPH

VinoTek VT4 will allow you to stylishly present and serve up to 4 bottles of red or white wine. Thanks to its capacity, this automatic wine dispenser is suitable for medium-sized catering establishments. It will be appreciated by anyone who wants to increase the sales of quality and premium wines. Your guests no longer have to hesitate whether to buy a bottle of wine they are not familiar with. With VinoTek, you can easily offer them a taste of several wines and help them with their selection.

The unique VinoTek system uses a protective argon atmosphere that preserves wine for up to 30 days after opening. With VinoTek, you no longer have to finish the wine on the same day.

Thanks to the thermostat and the clear backlit LED display showing the temperature, you can be sure that you are serving wine at the right temperature.

The VinoTek VT4 is equipped with an internal cartridge filled with food-grade argon with a volume of 0.45l. This quantity is sufficient for approximately 55 bottles of wine.

The automatic wine dispenser is equipped with an external gas input, so you can easily connect a second cartridge. Switching between internal and external gas sources is done by pressing a single button. With the attached external cartridge, there is no need for handling (pulling out and rotating), and VinoTek can be built into furniture.

In case you are achieving higher wine turnovers, you can connect a large pressure bottle with food-grade argon to the external input via a reducing valve.

- Doser capacity: 4 bottles
- Adjustable temperature range 7-18 °C
- Approximate dosage volume of wine per 1ml
- Dosage of wine by set volume or by spraying
- Blue LED display showing the temperature
- Internal LED lighting with the option to turn on/off
- Internal gas cartridge
- Entry to external gas cartridge
- The possibility of connecting a standard pressure gas cylinder

Parts of the packaging:

- 2x [gas cartridge with a capacity of 0.45l](#) (two cartridges are enough for approximately 110 bottles of wine)
- External cartridge connection kit (hose, control valve)
- Lower drip tray
- User Manual

Parameters

Basic parameters

Model:	VinoTek VT4
Warranty period:	2 years

Technical parameters

Mounting method - installation:	Free-standing, height-adjustable feet
Noise - sound level at 1m:	40 dB
Controls:	Buttons, rocker switches
Housing material - case:	Plastic / metal / glass
Surface finish - color:	Powder-coated matt black, Rubberized plastic
Dispenser capacity:	4 bottles of wine
Max. size of wine bottle:	350 x 90 mm (h / w)
Wine preservation time:	Argon - up to 50 days, nitrogen - up to 30 days
Setting the amount of dispensed wine:	Optional by 1 ml increments (1-99 ml)
Setting the cooling temperature range:	7-18 ° C
Operating temperature:	7-32 ° C
Top drip tray:	Yes
Drip tray:	Yes
Interior lighting:	White LED Option On / Off
Separate cooling:	No
Cooling medium:	R134a
Preservative and propellant medium:	Argon 99.96% (Nitrogen E 941)
Min. / max internal working pressure:	0,6 bar (9 PSI) / 3,1 bar (45 PSI)
Internal gas cartridge:	Yes
Connectable external cartridge:	Yes
Connectable Standard Bottle (200-300 bar):	Yes- via a pressure reducer at 0.6-3.1 bar per instrument input
Cartridge filling pressure:	120 bar
Cartridge (s):	0.45 l
The amount of gas in the cartridge:	62 g
Number of wine bottles per cartridge:	Approx. 55 pcs

Electric specifications

Input voltage:	AC 220-240 V
Frequency:	50/60 Hz
Power input:	95 W
Power cable:	CEE plug 7/7
Power cord length:	175 cm

Protective and security elements

Overcurrent protection, short circuit protection:	Yes
Pressure relief valves:	Yes
Electricity class protection:	I. (protective conductor)

Dimensions, weight, packaging

Device weight:	28.1 kg
Device dimensions:	625 x 415 x 390 mm (w/h/d)
Packaging dimensions:	650 x 470 x 470 mm (h / w / d)
Packing method:	Protective polybag, polystyrene cover, cardboard box

