

# Zelvo Eko 460

**Dřez do technických prostorů, chatek. Může sloužit i jako výlevka. Dřez je vyroben z Polypropylenu (termoplastický polymer) neboli tvrzený plast.**



EAN: 5903111172008

**71,88 €**

59,90 € excluding VAT



EAN: 5903111172015

**71,88 €**

59,90 € excluding VAT

The prestigious Polish company **Zelvo** specializes in the production of technical sinks and castings for a wide range of industrial uses. These are very high-quality sinks at an affordable price.

The technical sink **Eko 460 by Zelvo** is made of Polypropylene (thermoplastic polymer), also known as rigid plastic. This type of sink is suitable especially for cellar spaces, workshops, garages, gardens, and all technical and cleaning areas, production halls, and can also be used as a drain where traditional kitchen sinks are not necessary.

The Eko 460 sink is mounted to the wall, therefore **a worktop is not needed**. It is also possible to drill a hole for a faucet or a soap dispenser. The package includes mounting screws, a siphon, an overflow, a drain, a plug, and an outlet for a dishwasher.

The sink has become a very popular and sought-after type. If you are looking for a durable, attractive, plastic sink, wall-mounted, suitable for garden or any technical purpose, the Eko 460 in two color options is the right choice for you.

Among the main advantages of the **Polypropylene** material used for production are resistance to extremely high temperatures, low temperatures. The surface prevents rusting, cracking. Resistance to impacts or mechanical damage.

## **Key features of the ZELVO EKO 460 technical sink**

- we offer a sink in white and gray color
- Eko 460 has an extended 5-year warranty.
- made of Polypropylene, also known as hardened plastic
- optimal choice for technical rooms, garages, garden houses, production halls
- The technical sink is resistant to extremely high and low temperatures.
- The surface prevents rusting, cracking.
- Resistance to impact/mechanical damage
- ideal depth of the bathtub 19.5 cm
- Easy-clean technology
- Robustness
- space for drilling a hole for a dispenser and for a sink faucet

## **Parts of the packaging:**

- Sifon
- Assembly brackets
- Release.
- Robbery

# Parameters

## Basic parameters

Sink type:	Single sink
Sink shape:	Rectangular
Orientation:	Without orientation
Sink material:	Polypropylene
Width of the kitchen cabinet:	50 cm
Sink mounting type:	On the wall.
Sink style:	Technical sinks
Drain the sink.:	5 cm
Product TARIC code:	39221000

## Others

Eccentric control of the drain:	No
Pre-drilled hole for:	No
Possibility to drill another hole:	Yes
Warranty:	5 years

## Dimensions of the main tray (cm)

Width of the basin:	31
The length of the bathtub:	The text you provided does not contain any Czech text or HTML tags to translate.
Depth of the bathtub:	19.5
Minimum width of the cabinet:	50
Round sink:	No
The average size of the basin.:	No

## Sink dimensions (cm)

Width of the sink:	36
Sink length:	46
Sink depth:	20
Sink weight (kg):	3.5

## Dimensions of the sink package (cm)

Width of the packaging:	37.5
Height of the packaging:	I'm sorry, but "20,8" is not a valid sentence in Czech. Could you please provide a complete sentence for translation?
Depth of the packaging:	47.5
Weight including packaging (kg):	4.5

