

# Zelvo Maximus 610

**Technický dřez vyroben z Polypropylenu (termoplastický polymer) neboli tvrzeného plastu. Ideální dřez do technických místností, chatek, ale i jako výlevka.**



EAN: 5903111172039

**108,00 €**

90,00 € excluding VAT



EAN: 5903111172022

**108,00 €**

90,00 € excluding VAT

The prestigious Polish company **Zelvo** specializes in the production of technical sinks and castings for a wide range of industrial uses. These are very high-quality sinks at an affordable price.

The **Maximus 610 sink by Zelvo** is made of Polypropylene (thermoplastic polymer) or hardened plastic. Sinks made of this material are suitable especially next to the washing machine, in the basement, in garages, in garden cottages, and in all technical, cleaning rooms, manufacturing halls as well as a drain, where kitchen sinks are not needed.

The Maximus 610 sink can be **mounted to the wall**, so no worktop is needed. The sink can also be installed in a kitchen unit (top mount). It is also possible to drill holes for a faucet and a soap dispenser with a diameter of 35 mm. The package includes mounting screws, a trap, an overflow, a drain, a plug, and a dishwasher connector.

The sink has become a very **popular and sought-after** type. If you are looking for a durable, attractive, plastic sink with wall mounting, suitable for a garden or any technical purpose, the Maximus 610 is the right one for you at a favorable price and in two color options.

Among the **main advantages** of the material used for the production of Polypropylene are resistance to

extremely high temperatures and low temperatures. The surface prevents rusting and cracking. Resistance to impacts or mechanical damage.

### **Key features of the ZELVO MAXIMUS 610 technical sink**

- we offer a sink in white and gray color
- Maximus 610 has an extended 5-year warranty.
- made of Polypropylene, also known as hardened plastic
- optimal choice for technical rooms, garages, garden houses, production halls
- The technical sink is resistant to extremely high and low temperatures.
- The surface prevents rusting, cracking.
- Resistance to impact/mechanical damage
- ideal depth of the tray 22.5 cm
- Easy-clean technology
- Robustness
- space for drilling a hole for a dispenser and for a sink faucet

### **Parts of the packaging:**

- Sifon
- Assembly brackets
- Release.
- Robbery

# Parameters

## Basic parameters

Sink type:	Single sink
Sink shape:	Rectangular
Orientation:	Without orientation
Sink material:	Polypropylene
Width of the kitchen cabinet:	60 cm
Sink mounting type:	On the wall.
Sink style:	Technical sinks
Drain the sink.:	5 cm
Product TARIC code:	39221000

## Others

Eccentric control of the drain:	No
Pre-drilled hole for:	No
Possibility to drill another hole:	Yes
Warranty:	5 years

## Dimensions of the main tray (cm)

Width of the basin:	38
The length of the bathtub:	56.5
Depth of the bathtub:	22.5
Minimum width of the cabinet:	60
Round sink:	No
The average size of the basin.:	No

## Sink dimensions (cm)

Width of the sink:	The text you provided does not contain any Czech text or HTML tags to translate.
Sink length:	61
Sink depth:	23
Sink weight (kg):	4.7

## Dimensions of the sink package (cm)

Width of the packaging:	45.5
Height of the packaging:	23.8
Depth of the packaging:	62.5
Weight including packaging (kg):	5.7

